



## Product certificate K110291/01

Issued 2023-04-15

Replaces -

Page 1 of 2

### Single taps and combination taps

#### STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

### Fortune Brands Water Innovations

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline **BRL-K652** "Sanitary tapware; single taps and mixer taps" dated 07-01-2022,

which includes the requirements of

**EN200:** Sanitary tapware; single taps and combination taps, dated November 2008

Ron Scheepers  
Kiwa

*Publication of this certificate is allowed.*

*Advice: consult [www.kiwa.nl](http://www.kiwa.nl) in order to ensure that this certificate is still valid.*

CERTIFICATE

288171015

#### Kiwa Nederland B.V.

Sir Winston Churchillaan 273  
Postbus 70  
2280 AB RIJSWIJK  
The Netherlands  
Tel. +31 88 998 44 00  
Fax +31 88 998 44 20  
[NL.Kiwa.info@Kiwa.com](mailto:NL.Kiwa.info@Kiwa.com)  
[www.kiwa.nl](http://www.kiwa.nl)

#### Company

Fortune Brands Water Innovations  
Al Moen Drive 25300  
OH 44070 NORTH OLMSTED  
United States of America  
Tel. +1 440-962-2903  
[olivia.caracostea@fbgpg.com](mailto:olivia.caracostea@fbgpg.com)  
[www.fbin.com](http://www.fbin.com)

Certification process  
consists of initial and  
regular assessment of:

- quality system
- product



## Single taps and combination taps

---

### Technical specification

Model	Type
PX08**-EM	Basin tap
PB08**-EM	Basin tap
VY08**-EM	Basin tap

\*\* = BK (Black) or C (Chrome) variant

### FITNESS FOR CONTACT WITH DRINKING WATER

The specified products were not yet assessed for compliance with the requirements for hygienic aspects set in the “Regeling materialen en chemicaliën drink- en warm tapwatervoorziening” (Materials and chemicals in the supply of drinking water and warm tap water regulation”, dated 01-07-2017; published in the Dutch Government Gazette).

### APPLICATION AND USE

The single taps and mixer taps are designed for application in drinking water installations with a working pressure from 50 kPa up to 1000 kPa and a maximum water temperature of 90°C. The recommended limits for correct operation are a working pressure of 100 kPa up to 500 kPa and a water temperature of maximum 65°C.

### MARKING

The Kiwa®-mark products are marked with the wordmark “KIWA”.

Place of the mark: on the body.

Compulsory specifications:

- name or mark of the manufacturer “Riobel”: on the body;
- indication of the acoustic group, if classified: on the body;
- indication of the flow rate class, if classified: on the body.

Method of marking:

- non-erasable;
- visible after assembly.

### RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Fortune Brands Water Innovations;
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.